



# Stock Program

Chipboard & accessories  
2019/05





# CHIPBOARD NON-STRUCTURAL, STANDARD

## TOPFINISH

P1	LISO		
Thickness (mm)	2500x1250 mm		
	#/Pack	Article	Weight/Pack
<b>17</b>	55	24676	1,85

## SANDED

P1	LISO								
Thickness (mm)	2500x1250 mm			3050x1250 mm			2800x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
<b>16</b>	60	24672	1,90	50	24675	1,93	36	24638	2,11
<b>18</b>	50	24673	1,78	44	10001	1,91			
<b>19</b>							30	24639	2,06
<b>22</b>	40	24606	1,72				27	24640	2,15

SANDED

P2		BELSPAN								
Thickness (mm)	2500x1250 mm			3050x1250 mm			3060x1310 mm			
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
<b>8</b>	96	33471	1,69	96	33472	2,05				
<b>10</b>	90	24698	1,93	80	9528	2,09				
<b>12</b>	80	24699	2,04	64	9604	1,99				
<b>15</b>	65	24700	1,95							
<b>16</b>	60	24701	1,93	50	24706	1,96	48	24662	2,03	
<b>18</b>	50	24702	1,81	44	24707	1,94	44	24663	2,12	
<b>19</b>	50	24703	1,88	40	24708	1,83				
<b>22</b>	40	24704	1,72	36	9822	1,88				
<b>25</b>				35	24709	2,08				
<b>28</b>				30	24710	1,97				
<b>38</b>	20	9879	1,44	20	9886	1,76				

Thickness (mm)	2800x2070 mm			4110x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
<b>8</b>	50	30550	1,63			
<b>10</b>	50	30551	1,99			
<b>12</b>	48	37978	2,22			
<b>15</b>						
<b>16</b>	36	30552	2,14			
<b>18</b>	33	30553	2,21			
<b>19</b>	30	30554	2,09	20	30559	1,97
<b>22</b>	27	30555	2,15			
<b>25</b>	24	30556	2,17			
<b>28</b>	21	30557	2,10			
<b>38</b>	15	9883	2,00			



# CHIPBOARD NON-STRUCTURAL, MOISTURE RESISTANT

## TOPFINISH

P3		HYDROLIS WRB			
Thickness (mm)	2500x1250 mm				
	#/Pack	Article	Weight/Pack		
17	54	24723	1,98		

## SANDED

P3		HYDROLIS				
Thickness (mm)	2500x1250 mm			3050x1250 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	24718	1,96			
12	80	24719	2,09			
16	60	24720	2,07			
18	50	24721	1,95	44	6477	2,09
22	40	24722	1,77			

## MELAMINE FACED

P3		BETONSPAN (OLD NAME: BETONSPAN P3)				
Thickness (mm)	2500x1250 mm			5310x2070 mm		
	#/pack	Article	Weight/Pack	#/pack	Article	Weight/Pack
17	55	134087	2,05			
18				12	134213	1,63

## LACQUERED

P3		ACRYSPAN			
Thickness (mm)	2500x1250 mm				
	#/Pack	Article	Weight/Pack		
17	54	400011189	2,01		

P3		ACRYSPAN 1S			
Thickness (mm)	2500x1250 mm (1S)				
	#/Pack	Article	Weight/Pack		
17	54	400011188	2,01		

## MDF

MDF.RWH		RWH & RWH TG (OLD NAME: FIBERTECH RWH)				
Thickness (mm)	2800x1196 mm			610x2440 mm (TG4*)		
	#/pack	Article	Weight/Pack	#/pack	Article	Weight/Pack
16	50	25114	1,70	100	400022897	1,50

\*TG4: tongue and groove all 4 edges



# CHIPBOARD NON-STRUCTURAL, FIRE-RETARDANT

SANDED

P2	ANTIVLAM											
	2500x1250 mm			3050x1250 mm			2800x2070 mm			4110x2070 mm		
	Thickness (mm)	#/Pack	Article	Weight/ Pack	#/Pack	Article	Weight/ Pack	#/Pack	Article	Weight/ Pack	#/Pack	Article
<b>10</b>	90	24648	2,09	75	24649	2,27						
<b>12</b>	80	24650	2,21	64	24651	2,16						
<b>16</b>	60	24652	2,13	50	24653	2,17	30	24654	1,98			
<b>18</b>	50	24655	1,97	44	24656	2,12						
<b>19</b>	50	24657	2,09	40	24658	2,04	25	24660	1,93	25	24659	2,84
<b>22</b>	40	24661	1,91	36	24664	2,09						





# CHIPBOARD STRUCTURAL, STANDARD

## TOPFINISH

P4 Thickness (mm)	QUALIRACK TG (OLD NAME: QUALIRACK)							
	2040x910 mm (TG4*)				2440x610 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
<b>12</b>					150	400051593	1,93	A
<b>15</b>					120	400052818	1,93	A
<b>18</b>					100	400052819	1,93	C
<b>19</b>	45	400022632	1,10	C				
<b>22</b>	40	400022636	1,05	C	80	400055572	1,83	C
<b>25</b>	35	400022637	1,05	C				

\*TG4: tongue and groove all 4 edges



# CHIPBOARD STRUCTURAL, MOISTURE RESISTANT

## TOPFINISH

P5		DURELIS										
Thickness (mm)	2500x1250 mm			2800x1196 mm			3050x1250 mm			3960x1218 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	24643	2,07	90	24644	2,22						
11	80	24601	2,02							52	24600	2,03
12	80	24724	2,21	72	24645	2,13						
13				66	24646	2,11						
15	64	24604	2,21	60	26728	2,17						
18	48	24605	1,98				44	24628	2,22			
20	45	24632	2,07									
21	40	24633	1,93									
22	40	24634	2,02									

P5		DURELIS TG							
Thickness (mm)	2400x600 mm (TG4*)				2440x610 mm (TG4*)				
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile	
12					150	400022518	1,97	A	
15									
18	100	400022904	1,91	B	100	400022519	1,97	C	
19									
22	80	400022905	1,86	B	80	400022633	1,93	C	
25									

Thickness (mm)	2040x910 mm (TG4*)				2440x1220 mm (TG2*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
12								
15								
18					50	400021846	1,97	C
19	45	400022631	1,17	C				
22	40	400022635	1,20	C	40	400022634	1,93	C
25	35	400022638	1,19	C				

\*TG2: tongue and groove long edges, TG4: tongue and groove all 4 edges

P5		DURELIS UNCOLOURED (OLD NAME: DURELIS NC)		
Thickness (mm)	3960x1218 mm			
	#/Pack	Article	Weight/Pack	
11	52	24727	1,95	



SANDED

P5		DURELIS				
Thickness (mm)	2500x1250 mm			3050x1250 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	24602	2,07			
12	80	24725	2,21	64	24603	2,15
16	60	24630	2,21	50	24631	2,24
18	50	24726	2,07	44	24629	2,22
22	40	24641	2,02			
28				30	24642	2,35

P5		SANIPAN		
Thickness (mm)	1230x1200 mm			
	#/Pack	Article	Weight/Pack	
18	50	41167	0,98	

MELAMINE FACED

P5		BETONSPAN PLUS (OLD NAME: BETONSPAN P5)		
Thickness (mm)	2500x1250 mm			
	#/Pack	Article	Weight/Pack	
18	50	131267	2,00	



# CHIPBOARD STRUCTURAL, MOISTURE RESISTANT

LACQUERED

P5		DURELIS VAPOURBLOCK		
Thickness (mm)	2800x1196 mm			
	#/Pack	Article	Weight/Pack	
12	72	400011183	2,05	
15	55	400045543	2,00	

P5		DURELIS VAPOURBLOCK TG		
Thickness (mm)	610x2440 mm (TG4*)			
	#/Pack	Article	Weight/Pack	
15	120	400054432	2,00	

\*TG4: tongue and groove all 4 edges

P5		BETONFORCE BLACK (OLD NAME: BETONFORCE)		
Thickness (mm)	2500x1250 mm			
	#/Pack	Article	Weight/Pack	
18	50	400011250	2,00	

P5		TECTO PRIME		
Thickness (mm)	3960x1218 mm (1 side)			
	#/Pack	Article	Weight/Pack	
10	52	400045369	1,22	

P5		TECTO WHITE (OLD NAME: TECTOFINISH)		
Thickness (mm)	3960x1218 mm (1 side)			
	#/Pack	Article	Weight/Pack	
10	52	400045368	1,22	



# CHIPBOARD STRUCTURAL, MOISTURE RESISTANT & FIRE-RETARDANT

## TOPFINISH

P5		HYDROFLAM		
Thickness (mm)	2800x1196 mm			
	#/Pack	Article	Weight/Pack	
<b>12</b>	80	29369	2,47	

P5		HYDROFLAM TG						
Thickness (mm)	2400x1200 mm (TG2*)				2400x600 mm (TG4*)			
	#/Pack	Article	Weight/ Pack	Profile	#/Pack	Article	Weight/ Pack	Profile
<b>18</b>	50	400017194	2,00	B				
<b>22</b>					80	400017341	2,00	B

\*TG2: tongue and groove on long edges, TG4: tongue and groove all 4 edges



# MEZZANINE CHIPBOARD

P6		MEZZANINE U7 STANDARD TG						
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
<b>38</b>	50	400016306	1,89	F	22	400024069	1,39	F

\* TG4: tongue and groove all 4 edges

P6		MEZZANINE U7 WHITE TG										
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)				850x3000 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
<b>38</b>	50	400048053	1,89	F	22	400052368	1,39	F	22	400024573	1,39	F

\* TG4: tongue and groove all 4 edges

P6		MEZZANINE U7 DELUXE TG						
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
<b>38</b>	50	400052338	1,89	F	22	400052339	1,39	F

\* TG4: tongue and groove all 4 edges

P6		MEZZANINE U7 ANTISLIP TG						
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
<b>38</b>	50	400052482	1,89	F	22	400052480	1,39	F

\* TG4: tongue and groove all 4 edges



# ACCESSORIES: WOODFIBRE INSULATION & BEAMS

## FIBERTECH TOP

Thickness (mm)	600x2500 mm		
	#/Pack	Article	Weight/Pack
<b>18</b>	130	400010986	0,95
<b>22</b>	104	400010987	0,93

## I-JOIST

Width (mm)	Height (mm)	Length 7 m		Length 9 m		Length 13 m	
		Article	kg/m	Article	kg/m	Article	kg/m
<b>45</b>	<b>200</b>	400017846	2,81			400017848	2,81
	<b>240</b>	400017852	3,05			400017854	3,05
	<b>300</b>	400017855	3,41			400017857	3,41
<b>60</b>	<b>220</b>	400017867	3,57			400017869	3,57
	<b>240</b>	400017870	3,69			400017872	3,69
	<b>300</b>	400017873	4,05			400017875	4,05
	<b>360</b>	400017876	4,41			400017878	4,41
	<b>400</b>	400017879	4,65			400017881	4,65
<b>90</b>	<b>220</b>	400017885	4,89			400017887	4,89
	<b>240</b>	400017888	4,98			400017890	4,98
	<b>300</b>	400017891	5,34			400017893	5,34
	<b>360</b>	400017894	5,70			400017896	5,70
	<b>400</b>				400017898	5,94	

## LVL-R

Width (mm)	Height (mm)	Length 12 m	
		Article	kg/m
<b>30</b>	<b>240</b>	400016273	3,96
	<b>300</b>	400016274	4,95
	<b>360</b>	400016275	5,94
<b>36</b>	<b>240</b>	400016277	4,75
	<b>300</b>	400016278	5,94
	<b>360</b>	400016279	7,13
	<b>400</b>	400016280	7,92
<b>45</b>	<b>240</b>	400016281	5,94
	<b>300</b>	400016282	7,43
	<b>360</b>	400016283	8,91
	<b>400</b>	400016284	9,90
<b>75</b>	<b>300</b>	400016286	12,38
	<b>360</b>	400016287	14,85
	<b>400</b>	400016288	16,50
	<b>600</b>	400018790	24,75

## UNILIN, division panels

---

UNILIN, division panels – part of the UNILIN group – has been supplying innovative wood based solutions for building and interior design projects since 1960. Our chipboard, medium density fibreboard (MDF), High-Density fibreboard (HDF), High Pressure Laminate (HPL) and melamine-faced chipboards find their way to merchants in building materials and timber, industrial processors and DIY-chains worldwide.

We develop solutions tailored to your specific needs with creativity and innovation as the key drivers of our business. We continuously invest in product design and new technologies. Hence, we're recognized as a leading international player and a reliable partner in in our niche sector.

Our 1,300 employees give their all, day after day, at our production units in Belgium, France, Germany and the Netherlands. Altogether we produce 2.1 million m<sup>3</sup> of panels per year.

The information provided is correct at the time of printing. For the most recent version of our stocklist, please consult our website.

### FSC/PEFC

All articles in this stock list can be ordered with FSC or PEFC certificates.

Contact our sales team for more information.

### NON-STANDARD

For non-standard panel types & sizes, Unilin has flexible presses & high-capacity saws that support all sawing dimensions. In principle, all thicknesses and lengths / widths are possible within the press & saw capabilities.

### FREE SAMPLE SERVICE

Of all stock grades, samples are available. Contact our sales team for more information or visit [www.unilinpanels.com](http://www.unilinpanels.com)

**AND ORDER YOUR FREE SAMPLE NOW!**



FOLLOW UNILIN PANELS ON



Ingelmunstersteenweg 229, 8780 Oostrozebeke - Belgium  
T +32 56 66 70 21 - F +32 56 66 82 25  
[info.panels@unilin.com](mailto:info.panels@unilin.com) - [www.unilinpanels.com](http://www.unilinpanels.com)